Permit #F00148942

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00148942 **Type of Permit:** FILMING **Release Date:** 03/05/2019

Production Company LOYOLA MARYMOUNT UNIVERSITY

Insured Company Name LOYOLA MARYMOUNT UNIVERSITY

Contact Phone No. 1 310-338-2700
Contact Phone No. 2
Fax
Address One LMU DR
Los Angeles, California 90045

Production Title A DATE / ID: 955-619-323 / PROD: 01-19-550-12753

Type of Production Student

Producer Alejandro Gonzalez

Director Jiaxun Gao

1st AD Alejandro Gonzalez

Production Manager Jiaxun Gao

FilmL.A. Coordinator Angel Miranda

Location Manager Jiaxun Gao
Primary Phone Mobile - 831-419-2742
Secondary Phone

Location Assistant Jiaxun Gao
Primary Phone Mobile - 831-419-2742
Secondary Phone

Fees

FILMLA NON-REFUNDABLE STUDENT PERMIT FEE SIMPLE $26.00

Total Permit Fee $26.00

Number of Locations 2

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00148942	**Location Manager**	Jiaxun Gao
Production Company	LOYOLA MARYMOUNT UNIVERSITY	Primary Phone	Mobile - 831-419-2742
Insured Company	LOYOLA MARYMOUNT UNIVERSITY	Secondary Phone	
Production Title	A DATE / ID: 955-619-323 / PRO...		

Location Address	8300 Manitoba St, Los Angeles, CA, 90293
Location Type	Condominium
Film Dates	3/9/2019 - 3/9/2019 12:00 - 21:00 1 day
Open or Closed to the Public	Closed
Generic Conditions	*LA CITY AND/OR LA COUNTY FIRE CHECKLIST ATTACHED TO FINAL PERMIT. THE PERMITTEE IS RESPONSIBLE FOR COMPLETING CHECKLIST PRIOR TO FILMING ACTIVITY AT THIS LOCATION. NON COMPLIANCE MAY RESULT IN ASSIGNMENT OF A FIRE OFFICER. All vehicles must be parked on private property Must maintain local/emergency access No cast or crew parking on area streets
Please see attached document	LMU--A DATE--STUDENT LETTER.pdf

Equipment on Location

Type	Quantity
Cast/Crew vehicles	2

Personnel on Location

Type	Quantity
Cast	2
Crew	5
Spot Check	1

Filming Activities	Camera on sticks; Handheld equipment; Interior dialogue and establishing shots; Interior film activities confined to unit: 233 only;
Jurisdiction	**Political:** Los Angeles City - Council District 11 **Police:** Los Angeles Police Department **Fire:** Los Angeles City
Thomas Guide	**Page:** 702 **Grid:** B3
Approvals	LOS ANGELES CITY POLICE DEPARTMENT Irene Martinez
Coordinator Note	BASE CAMP AND ALL CAST, CREW, PERSONAL AND EXTRAS VEHICLE PARKING WILL BE ON (PRIVATE) PROPERTY ONLY - ABSOLUTELY NO CAST, CREW, EXTRAS, AUDIENCE OR PERSONAL VEHICLES TO BE PARKED ON AREA STREETS, ROADS (INCLUDING SHOULDERS) OR ALLEYS.

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00148942	**Location Manager**	Jiaxun Gao
Production Company	LOYOLA MARYMOUNT UNIVERSITY	Primary Phone	Mobile - 831-419-2742
Insured Company	LOYOLA MARYMOUNT UNIVERSITY	Secondary Phone	
Production Title	A DATE / ID: 955-619-323 / PRO...		

Coordinator Note ABSOLUTELY NO CABLING OR STORING EQUIPMENT IN HALLWAYS, STAIRWAYS, DOORWAYS, EMERGENCY EXITS, ELEVATORS AND/OR ELEVATOR EXITS AND COMMON AREAS.

Coordinator Note ABSOLUTELY NO BLOCKING OR COMPROMISING HALLWAYS, STAIRWAYS, DOORWAYS, EMERGENCY EXITS, ELEVATORS AND/OR ELEVATOR EXITS AND COMMON AREAS.

Coordinator Note IT IS THE FILMMAKER'S SOLE RESPONSIBILITY TO OBTAIN PERMISSION FROM THE PROPERTY OWNER/MANAGER FOR PRIVATE PROPERTY USAGE.

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Filming Location

Parking Notes
BASE CAMP AND ALL CAST, CREW, PERSONAL AND EXTRAS VEHICLE PARKING WILL BE ON (PRIVATE) PROPERTY ONLY - ABSOLUTELY NO CAST, CREW, EXTRAS, AUDIENCE OR PERSONAL VEHICLES TO BE PARKED ON AREA STREETS, ROADS (INCLUDING SHOULDERS) OR ALLEYS.

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00148942	**Location Manager**	Jiaxun Gao
Production Company	LOYOLA MARYMOUNT UNIVERSITY	Primary Phone	Mobile - 831-419-2742
Insured Company	LOYOLA MARYMOUNT UNIVERSITY	Secondary Phone	
Production Title	A DATE / ID: 955-619-323 / PRO...		

Location Address 5409 SEPULVEDA BL., CULVER CITY, CA, 90230

Location Type Business

Film Dates 3/10/2019 - 3/10/2019 10:00 - 19:00 1 day

Open or Closed to the Public Closed

Generic Conditions
All vehicles must be parked on private property
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
CULVER CITY: Must maintain emergency access
CULVER CITY: Must maintain local/emergency access
Must maintain local/emergency access
No cast or crew parking on area streets

Please see attached document SpotCheck CCFD.pdf

Equipment on Location

Type	Quantity
Cast/Crew vehicles	2

Personnel on Location

Type	Quantity
Cast	3
Crew	5

Filming Activities Camera on sticks; Handheld equipment; Interior dialogue and establishing shots; Camera, equipment and film activities on private property only – no public sidewalk and/or street activities;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Thomas Guide **Page:** 672 **Grid:** G5

Approvals

CULVER CITY FIRE DEPARTMENT	Steve Poelstra
CULVER CITY POLICE DEPARTMENT	Sergeant Brandon Vanscoy

Coordinator Note BASE CAMP AND ALL CAST, CREW, PERSONAL AND EXTRAS VEHICLE PARKING WILL BE ON (PRIVATE) PROPERTY ONLY - ABSOLUTELY NO CAST,

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00148942	**Location Manager**	Jiaxun Gao
Production Company	LOYOLA MARYMOUNT UNIVERSITY	Primary Phone	Mobile - 831-419-2742
Insured Company	LOYOLA MARYMOUNT UNIVERSITY	Secondary Phone	
Production Title	A DATE / ID: 955-619-323 / PRO...		

CREW, EXTRAS, AUDIENCE OR PERSONAL VEHICLES TO BE PARKED ON AREA STREETS, ROADS (INCLUDING SHOULDERS) OR ALLEYS.

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Filming Location

Parking Notes
BASE CAMP AND ALL CAST, CREW, PERSONAL AND EXTRAS VEHICLE PARKING WILL BE ON (PRIVATE) PROPERTY ONLY - ABSOLUTELY NO CAST, CREW, EXTRAS, AUDIENCE OR PERSONAL VEHICLES TO BE PARKED ON AREA STREETS, ROADS (INCLUDING SHOULDERS) OR ALLEYS.

NO PERMIT

Permit #F00148942

LMU|LA
School of Film
and Television

STUDENT CERTIFICATION

Date: 2/22/19

This is to certify that Jiaxun Gao (Name of Student) is enrolled in Prod 550 (Course Number) at Loyola Marymount University School of Film and Television for the Spring (Fall/Spring/Summer) semester and is engaged in the production of an authorized film project entitled A Date (Title of Project). This project is intended as an academic work and is not intended for distribution or sale. Loyola Marymount University has waived all interests' rights and title to this project, which is the property and responsibility of the student named herein.

Student ID : 955-619-323

Production # : 01-19-550-12753

Ken Ornstein
Head of Production Administrator
LMU School of Film and Television
310 338 2973
ken.ornstein@lmu.edu

-or-

NOT A PERMIT

Permit #F00148942

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			

Corrective Actions Taken:

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			

Corrective Actions Taken:

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			

Corrective Actions Taken:

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

Permit #F00148942

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			

Corrective Actions Taken:

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			

Corrective Actions Taken:

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			

Corrective Actions Taken:

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT